



Safety Data Sheet

Regulation (EC) n. 1907/2006

Trade name: WINDFORM® RL SEAL

Current version: 1.0 issued: 29/05/2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

WINDFORM® RL SEAL

1.2 Relevant identified uses of the substance or mixture

Dipping

1.3 Details of the supplier of the safety data sheet

Address

CRP TECHNOLOGY SRL
VIA CESARE DELLA CHIESA, 150/C
41126 MODENA
ITALY

Telephone +39 059 / 821135

Fax +39 059 / 822071

Email: info@crp.eu

1.4 Emergency telephone number

+39 059 / 821135 – Office hours Monday-Friday 8.00am-12.30pm / 1.30pm-5.00pm

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification information

Classification according to Regulation (EC) N°1272/2008 (CLP).

Skin Corrosion / Irritation	Category 2 (H315)
Serious eye damage / eye irritation	Category 2 (H319)
Aquatic environment- chronic hazard	Category 3 (H412)

2.2 Label elements

Labelling according to Regulation (EC) N°1272/2008 (CLP).

Safety Data Sheet

Regulation (EC) n. 1907/2006

Trade name: WINDFORM® RL SEAL

Current version: 1.0 issued: 29/05/2017

Hazard pictograms



GHS07

Signal word

WARNING

Hazard statements

H319 – Causes serious eye irritation
H315 – Causes skin irritation
H412 – Harmful to aquatic life

Precautionary statements – EU (§28, 1272/2008)

P264: Wash face, hands and any exposed skin thoroughly after handling.
P273: Avoid release to the environment.
P308+313: If exposed or concerned: Get medical advice/attention.
P303+361+353: If on skin: Take off contaminated clothing and wash before reuse.
P302+352: If on skin, wash with soap and water.
P305+351+338: If in eyes, rinse cautiously with water for several minutes.
Remove contact lenses if present and easy to do. Continue rinsing.
P501: Dispose of contents/container in accordance with local/regional regulations.

Additional information

EUH 208: Contains: zinc bis(dibutyldithiocarbamate)
5-chloro-2-methyl-4-isothiazolin-3-one
2-Methyl-2H-isothiazol-3-one
1,2-Benzisothiazol-3(2H)-one
May produce an allergic reaction.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Chemical characterization

Black pigmented rubber dispersion, stabilized with ammonia, prevulcanised.



Safety Data Sheet

Regulation (EC) n. 1907/2006

Trade name: WINDFORM® RL SEAL

Current version: 1.0 issued: 29/05/2017

Hazardous ingredients

Chemical name	CAS N° EC N° REACH reg. N°	Weight-%	Classification according to Regulation (EC) N° 1272/2008 [CLP]
Ammonium hydroxide	1336-21-6 215-647-6	0.2 -<0.6%	H314 Skin Corr. 1B H400 Aquatic Acute 1 H335 STOT SE 3
Zinc bis(dibutyldithiocarbamate)	136-23-2 205-232-8 01-2119535161-51-XXXX	0.2 -<1%	H400 Aquatic Acute 1, cat. 1 H410 Aquatic Chronic, cat. 1 H315 Skin Irritation, cat. 2 H319 Eye Irritation, cat. 2 H317 Skin Sens. 1 H335 STOT SE 3
Alcohols, C16-18 and C18-unsaturated, ethoxylated	68920-66-1 500-236-9 01-2119489407-26-xxxx	≥ 0.5 - ≤ 1%	H315 Skin irritation-cat2
Zinc oxide	1314-13-2 215-222-5 01-2119463881-32-XXXX	0.08-<0.2%	Aquatic Acute 1, H400; Aquatic Chronic 1, H410

No Hazardous ingredients

Chemical name	CAS N° EC N°	Weight-%
rubber, natural	9006-04-6 232-689-0	>40%
water	7732-18-5 231-791-2	25-50%

SECTION 4: First aid measures

4.1 Description of first aid measures

After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air.

In case of persistent adverse effects, consult a physician.

After skin contact

After contact with skin, wash immediately with soap and water. Seek medical attention if symptoms occur. Wash clothing before reuse.



Safety Data Sheet

Regulation (EC) n. 1907/2006

Trade name: WINDFORM® RL SEAL

Current version: 1.0 issued: 29/05/2017

After eye contact

Remove contact lenses, if present. Open eyelids widely, rinse immediately the eyes with plenty of water (15 min.). In case of persistent adverse effects, consult a physician.

After ingestion

Seek medical advice immediately. Rinse immediately the mouth.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water mist, extinguishing powder, carbon dioxide (CO₂), alcohol resistant foam.

Unsuitable extinguishing media

Strong water jet.

5.2 Special hazards arising from the substance or mixture

In the event of fire, could be released: Carbon dioxide (CO₂); Carbon monoxide (CO); NOx.

5.3 Advice for firefighters

Protective clothing and self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in Sections 7 and 8. Ensure adequate ventilation.

For emergency responders

Personal protective equipment - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations.



Safety Data Sheet

Regulation (EC) n. 1907/2006

Trade name: WINDFORM® RL SEAL

Current version: 1.0 issued: 29/05/2017

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders and universal binders).
Dispose of waste product or used containers according to local regulation (see Section 13).

6.4 Reference to other sections

See as prescribed in the Section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Provide good ventilation of working area, avoid any contact with the skin and the eyes.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Wash hands before breaks and after work. Provide eyewash fountain in work area.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep containers tightly sealed, at temperatures between 5 and 35°C and relative air moisture of 20–70%. Protect from frost.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Zinc bis (dibutyldithiocarbamate)		CAS N° 136-23-2 ; EC N° 205-232-8
DNEL	2 mg/m ³	Long-term inhalativ consumer systemic - repeated dose toxicity
DNEL	6 mg/m ³	Long-term inhalativ worker systemic - repeated dose toxicity
DNEL	1 mg/kg/day	Long-term oral consumer systemic - repeated dose toxicity
DNEL	480 mg/kg/day	Long-term dermal consumer systemic - repeated dose toxicity
DNEL	800 mg/kg/day	Long-term dermal worker systemic - repeated dose toxicity
DNEL	800 mg/kg	Long-term dermal worker systemic - repeated dose toxicity
Zinc oxide		CAS N° 1314-13-2
DNEL	0.5 mg/m ³	Long-term inhalativ worker systemic - repeated dose toxicity



Safety Data Sheet

Regulation (EC) n. 1907/2006

Trade name: WINDFORM® RL SEAL

Current version: 1.0 issued: 29/05/2017

Zinc bis (dibutyldithiocarbamate)		CAS N° 136-23-2 ; EC N° 205-232-8
PNEC	0.32 µg/L (freshwater)	Assessment factor: 10
PNEC	7.4 µg/L (intermittent release)	Assessment factor: 100
PNEC	3.65 µg/L (sewage treatment plant)	Assessment factor: 100
PNEC	0.032 µg/L (marine water)	Assessment factor: 100
PNEC	4.56 mg/kg (oral - food)	
PNEC	32 mg/kg (sediment – fresh water) partition coefficient	
PNEC	3.2 mg/kg (marine water)	
PNEC	6.4 mg/kg (soil) partition coefficient	
Zinc oxide		CAS N° 1314-13-2
PNEC	20.6 µg/L (freshwater)	Assessment factor: 1
PNEC	100 µg/L (sewage treatment plant)	Assessment factor: 1
PNEC	6.1 µg/L (marine water)	Assessment factor: 1
PNEC	117.8 mg/kg (sediment -freshwater)	Assessment factor: 1
PNEC	56.1 mg/kg (sediment -marine water)	Assessment factor: 1
PNEC	35.6 mg/kg (soil)	Assessment factor: 1

8.2 Exposure controls

Personal protective equipment

General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals.

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Respiratory protection

Use respiratory protection mask with appropriate filter in presence of high concentrations.

Eye / face protection

Use safety glasses with side shields (EN 166).

Hand protection

Use protective gloves (DIN EN 374). Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves. In case of thermal processing, thermally insulating protective gloves (EN407) are to be used.



Safety Data Sheet

Regulation (EC) n. 1907/2006

Trade name: WINDFORM® RL SEAL

Current version: 1.0 issued: 29/05/2017

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form/Colour
Liquid
Black
Odour
Ammonia
Odour threshold
No data available
pH value
9 -11
Boiling point / boiling range
100°C
Freezing point
0°C
Melting point / melting range
Not applicable
Decomposition point / decomposition range
No data available
Flash point
No data available
Minimum ignition energy
No data available
Auto-ignition temperature
No data available
Oxidising properties
No data available
Explosive properties
The product is not explosive
Flammability (solid, gas)
No data available



Safety Data Sheet

Regulation (EC) n. 1907/2006

Trade name: WINDFORM® RL SEAL

Current version: 1.0 issued: 29/05/2017

Lower flammability or explosive limits	
No data available	
Upper flammability or explosive limits	
No data available	
Vapour pressure	
24 mmHg/25°C	
Vapour density	
No data available	
Evaporation rate	
No data available	
Relative density	
No data available	
Density	
Value	0,98 g/cm ³
Solubility in water	
Remarks	Slightly soluble
Solubility(ies)	
No data available	
Partition coefficient: n-octanol/water	
No data available	

9.2 Other information

Other information

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No further relevant information available if used under recommended storage conditions.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No dangerous reactions known if used under recommended storage conditions.



Safety Data Sheet

Regulation (EC) n. 1907/2006

Trade name: WINDFORM® RL SEAL

Current version: 1.0 issued: 29/05/2017

10.4 Conditions to avoid

Stable under recommended storage conditions.

10.5 Incompatible materials

Oxidizing materials, strong acids and strong bases.

10.6 Hazardous decomposition products

Carbon dioxide, carbon monoxide and other toxic fumes can be released at high temperatures or upon burning.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity		
Based on available data, the classification criteria are not met. LD50 values that are relevant for classification:		
Zinc bis(dibutyldithiocarbamate)		136-23-2
Oral	LD50	>5000 mg/kg (rat)
Zinc oxide		1314-13-2
Oral	LD50	7950 mg/kg (mouse) IUCLID > 5000 mg/kg (rat) IUCLID
Acute dermal toxicity		
Based on available data, the classification criteria are not met. LD50 values that are relevant for classification:		
Zinc bis(dibutyldithiocarbamate)		136-23-2
Dermal	LD50	>2000 mg/kg (rabbit) (OECD 402)
Acute inhalational toxicity		
Based on available data, the classification criteria are not met.		
Zinc oxide		1314-13-2
Inhalative	LC50/4h	0.4 mg/L (rat) IUCLID
Skin corrosion/irritation		
Based on available data, the classification criteria are not met.		
Serious eye damage/irritation		
Based on available data, the classification criteria are not met.		
Respiratory or skin sensitisation		
Sensitizing effect is possible by prolonged exposure. May cause allergic sensitization of the skin.		



Safety Data Sheet

Regulation (EC) n. 1907/2006

Trade name: WINDFORM® RL SEAL

Current version: 1.0 issued: 29/05/2017

Germ cell mutagenicity
Based on available data, the classification criteria are not met.
Reproduction toxicity
Based on available data, the classification criteria are not met.
Carcinogenicity
Based on available data, the classification criteria are not met.
STOT- single exposure
Based on available data, the classification criteria are not met.
STOT- repeated exposure
Based on available data, the classification criteria are not met.
Aspiration hazard
Based on available data, the classification criteria are not met.
Symptoms related to the physical, chemical and toxicological characteristics
Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)
No data available
Toxicity to fish (chronic)
No data available
Toxicity to Daphnia (acute)
No data available
Toxicity to Daphnia (chronic)
No data available
Toxicity to algae (acute)
No data available
Toxicity to algae (chronic)
No data available
Bacteria toxicity
No data available



Safety Data Sheet

Regulation (EC) n. 1907/2006

Trade name: WINDFORM® RL SEAL

Current version: 1.0 issued: 29/05/2017

- 12.2 Persistence and degradability**
No data available.
- 12.3 Bioaccumulative potential**
No data available.
- 12.4 Mobility in soil**
No data available.
- 12.5 Results of PBT and vPvB assessment**
No data available.
- 12.6 Other adverse effects**
No data available.
- 12.7 Other information**
No data available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Disposal or recover according to the existing national or local regulations. Remove labels from packages/containers only after thorough washing. Do not discharge product into the environment.

Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

14.2 Transport IMDG

The product is not subject to IMDG regulations.

14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.



Safety Data Sheet

Regulation (EC) n. 1907/2006

Trade name: WINDFORM® RL SEAL

Current version: 1.0 issued: 29/05/2017

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) N° 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)
According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.
REACH candidate list of substances of very high concern (SVHC) for authorisation
According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in article 57 and article 59 of REACH (EC) 1907/2006.
Regulation (EC) N° 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES
According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances subjected to the provisions of Annex XVII (restriction entries) of the REACH regulation (EC) 1907/2006.

15.2 Chemical safety assessment

No data available.

SECTION 16: Other information

The information on this Safety Data Sheet (SDS) is based on the present state of our knowledge and experience. The safety data sheet describes products with a view to the security requirements. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. As the specific conditions of use of the product does not fall under the knowledge and control of the supplier, the user will be solely responsible for other than uses for which the product was produced.